



BA-PHALABORWA MUNICIPALITY

- Budget and Treasury -

Procurement and Stores

TO : Prospective Service Provider
FROM : SCM /STORES
DATE : 02/11/2018
ENQUIRIES : STORES
TELEPHONE : 015 780 6479/6362/61
REF : 96754

Kindly furnish this office with a written quotation for supply of goods/ services as detailed below. The quotation must be submitted on the letterhead of your Business and Brought to our offices 3 Nyala Street, Phalaborwa not later than 12/11/2018 at 12H00.

| Total Requested | Detail | PRICE/UNIT (Inc .VAT) | DELIVERY PERIOD |
|------------------------|--|------------------------------|------------------------|
| | Supply of chemical reagents as per attached list for | | |
| | Namakgale Plant | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Please number your quotes (Your Ref no)

The following conditions will apply:

- Price (s) quoted must be valid for at least thirty (30) days from date of your offer. ➤ The municipality retains the prerogative to reject any quotes it deems to be excessive ➤ A firm delivery period must be indicated.
- **Original Tax Clearance Certificate or certified copy**
- **Registered with CIPRO (CK 1 or 2 document)**
- **BBBEE Certificate certified by a SANAS accredited institution or certified sworn affidavit.**
- **Fill in and Return the Declaration of Interest Form (MBD4 Form) obtainable from our website.**
- **Centralised Suppliers Database printout (summary report)**

Disclaimer: The Municipality reserves the right not to appoint on this RFQ. Goods of inferior quality will not be accepted. SABS approved materials required

CHEMICAL REAGENTS

| REAGENT NAME | DESCRIPTION | QUANTITY |
|-----------------------------|--|-----------|
| Nitrite | Vial tubes | 05 boxes |
| | No:08[Black] Nitrite-101 | 05 boxes |
| Nitrate | White capped reaction vial [reagent-A] | 05 boxes |
| | Nitrate chromo tropic powder park | 05 boxes |
| Fluoride | 1mg/DF Concentrated fluoride standard 500ml | 05 |
| Phosphate | Reaction vial tubes | 10 boxes |
| | No: 04 White phosphate-103 reagents | 10 boxes |
| | Phosphate-101 reagent | 10 boxes |
| | No: 04 White phosphate-102 reagents | 10 boxes |
| Oxygen | DPD No:04 Tablets | 10 boxes |
| Ammonia | White capped reaction vials | 10 boxes |
| | Ammonia Salicylate F5 powder pack | 10 boxes |
| | Ammonia Cyanurate F5 powder pack | 10 boxes |
| Neo Gloves[surgical gloves] | Surgical gloves packet of 100[Medium sizes] | 30 boxes |
| Free Chlorine | Apoll Chlorine/5 Free Photometer | 150 boxes |
| | Palintest DPD No:01 Tablets | 150 boxes |
| Total Chlorine | Apoll Chlorine/5 Free Photometer | 150 boxes |
| | Palintest DPD No; 04 Tablets | 150 boxes |
| Phenol Red Indicator | 100ml size | 150 boxes |
| Fluoride | SPADNS Reagents [500ml] | 15 |
| | 1mg/ DF Concentrated Fluoride Standard 500ml | 15 |
| Gas Leak detector | Chlorine gas Leakage detector | 12 |

Supplier Must Include Material Safety Data Sheet: